

DCE-S 10/12 Plus

COMPACT INSTANTANEOUS WATER HEATER

PRODUCT-NO.: 238154

Compact DCE-S Plus instantaneous water heater – For easy showering pleasure.

With its high efficiency and output, the DCE-S Plus offers a reliable and constant supply of hot water for several smaller draw-off points (hand washbasins) or one larger one (shower).

As efficient as it is compact.

The rotary selector quickly enables accurate temperature delivery between 20 and 60 °C. The temperature can be selected variably, either in °C or °F. The rotary selector makes operation extremely easy.



The main features

Electronically controlled compact instantaneous water heater with 3i technology

Very good energy efficiency thanks to electronic output control

Precise temperature selection from 20 °C to 60 °C

Permanently selectable temperature limit can be set to 43 °C, 50 °C or 55 °C

Suitable for showers

Good price/performance ratio



| Type | DCE-S 6/8 Plus | DCE-S 10/12 Plus |
|--------------|----------------|------------------|
| Part no. | 238153 | 238154 |
| Rated output | 6,0/8,0 kW | 10,0/12,0 kW |
| Height | 372 mm | 372 mm |
| Width | 217 mm | 217 mm |
| Depth | 109 mm | 109 mm |

Technical data

| | | |
|--------------------------------------|------------------|------------------|
| Rated voltage 1 | 220 V | 220 V |
| Rated output 1 | 6,0/8,0 kW | 10,0/12,0 kW |
| Rated current 1 | 27,3/36,4 A | 45,5/54,5 A |
| Fuse 1 | 30/40 A | 50/60 A |
| Frequency 1 | 50/60 Hz | 50/60 Hz |
| Rated voltage 2 | 230 V | 230 V |
| Rated output 2 | 6,6/8,7 kW | 11,0/13,1 kW |
| Rated current 2 | 28,5/38,0 A | 47,8/57,0 A |
| Fuse 2 | 30/40 A | 50/60 A |
| Frequency 2 | 50/60 Hz | 50/60 Hz |
| Rated voltage 3 | 240 V | 240 V |
| Rated output 3 | 7,2/9,6 kW | 12,0/14,3 kW |
| Rated current 3 | 30,0/40,0 A | 50,0/59,5 A |
| Fuse 3 | 30/40 A | 50/60 A |
| Frequency 3 | 50/60 Hz | 50/60 Hz |
| Phases | 1/N/PE | 1/N/PE |
| Temperature adjustment | 20-60 °C | 20-60 °C |
| Specific resistance $\rho_{15} \geq$ | 1100 Ω cm | 1100 Ω cm |

| | | |
|--|----------------|----------------|
| Specific conductivity $\sigma_{15} \leq$ | 910 $\mu S/cm$ | 910 $\mu S/cm$ |
| Energy efficiency class | A | A |
| Colour | white | white |
| IP-Rating | IP25 | IP25 |
| Weight | 2,5 kg | 2,5 kg |

Expected to be available from June 2019

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.